

Morbidity and Mortality

Weekly
Report

U. S. DEPARTMENT OF HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE

Prepared by the

COMMUNICABLE DISEASE CENTER

634-5131

For release September 30, 1964

ATLANTA, GEORGIA 30333

Vol. 12, No. 53

ANNUAL SUPPLEMENT

REPORTED INCIDENCE OF NOTIFIABLE DISEASES IN THE UNITED STATES, 1963

This Supplement carries final figures on the reported incidence of notifiable diseases in 1963 based on summaries submitted by the individual States and Territories of the United States.

BOTULISM IN 1963


In 1963 a total of 47 cases was reported, the largest number reported in any single year since 1947 when botulism case data were first compiled by State by year. In that year 39 States reported 44 cases.

The map below shows the distribution of botulism cases reported in 1963 classified by source of infection, commercial or non-commercial products.

Contaminated home-prepared foodstuffs which contributed to botulism cases in 1963 included chili peppers, green beans, corn, mushrooms, figs, beets and home smoked white fish; commercial products included liver paste, tuna fish, smoked white fish and smoked white fish chubs.

Of the 23 cases originating from home-prepared foodstuffs, 9 terminated fatally; and of the 24 originating from commercially prepared products, 6 were fatal.

REPORTED CASES OF BOTULISM, UNITED STATES, 1963, BY STATE



INDEX OF TABLES

	<u>Page</u>
Table 1. Diseases Covered by International Quarantine Agreement	3
Table 2. Reported Cases of Specified Notifiable Diseases: United States, 1954-1963	4
Table 3. (A) Deaths from Specified Notifiable Diseases: United States, 1953-1962	5
(B) Deaths from Selected Non-Notifiable Acute Diseases: United States, 1953-1962	6
Table 4. Reported Cases of Notifiable Diseases by Month: United States, 1963	7
Table 5. Reported Cases of Notifiable Diseases: United States, by Geographic Division, by State, 1963	8
Table 6. Newly Reported Active Tuberculosis Cases: United States, by Geographic Division, by State, by Age, 1963	13
Table 7. Newly Reported Cases of Venereal Diseases: United States, by Geographic Division, by State; Age and Sex, (Civilian Cases only), 1963	14
Table 8. Rabies in Man and Animals, by State, by Type of Animal, United States, 1963	15
Table 9. Reported Cases of Selected Notifiable Diseases by State, by Age, 1963	16
Table 10. Reported Cases of Selected Notifiable Diseases by State, by Month, 1963	23
Table 11. Acute Diseases Optionally Reported to the Public Health Service, by State, 1963	25
Table 12. Other Diseases Optionally Reported (Diseases reported by 10 States or less)	27
Table 13. Reported Incidence of Communicable Diseases, Virgin Islands, 1963	28

EXPLANATION OF SYMBOLS USED IN TABLES

Data not available -----	...
Quantity Zero -----	-
Report of Disease not required by State Health Department	NN

TABLE 1. REPORTED INCIDENCE OF DISEASES COVERED BY INTERNATIONAL QUARANTINE AGREEMENT
1954 - 1963

International Classification of Diseases Covered		Number Reported									
		1963	1962	1961	1960	1959	1958	1957	1956	1955	1954
043	Cholera	-	-	-	-	-	-	-	-	-	-
058	Plague	1	-	3	2	4	-	1	1	-	-
071.0	Louse-borne										
	relapsing fever	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-
091	Yellow fever	-	-	-	-	-	-	-	-	-	-
100	Louse-borne										
	epidemic typhus	-	-	-	-	-	-	-	-	-	-

PLAGUE CASES IN 1963

<u>Date and Place Acquired</u>	<u>Age and Sex</u>	<u>Outcome</u>
December, New Mexico	28 M	Fatal, 12/7/63, New Mexico

TABLE 2. REPORTED CASES OF SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1954 - 1963

DISEASE	1963 ¹	1962 ¹	1961 ¹	1960 ¹	1959 ¹	1958	1957	1956	1955	1954
Amebiasis	2,886	3,048	2,850	3,424	3,508	4,380	5,031	3,689	3,348	3,523
Anthrax	3	9	14	23	12	16	26	38	39	22
Aseptic Meningitis	1,844	2,654	5,162	1,593
Botulism	47	10	14	12	20	6	28	17	16	18
Brucellosis (undulant fever)	407	409	636	751	892	924	983	1,300	1,444	1,823
Diphtheria	314	444	617	918	934	918	1,211	1,568	1,984	2,041
Encephalitis, total acute infectious	1,993	2,094	2,248	2,341	2,437	2,587	2,135	2,624	2,166	2,606
Hepatitis, infectious and serum	42,974	53,016	72,651	41,666	23,574	16,294	14,922	19,234	31,961	50,093
Leprosy	103	80	63	54	44	39	36	52	75	56
Leptospirosis	89	79	71	53	83	55	47	44	24	48
Malaria	99	118	73	72	71	85	132	234	522	715
Measles	385,156	481,530	423,919	441,703	406,162	763,094	486,799	611,936	555,156	682,720
Meningococcal infections	2,470	2,150	2,232	2,259	2,180	2,581	2,691	2,735	3,455	4,436
Pertussis (whooping cough)	17,135	17,749	11,468	14,809	40,005	32,148	28,295	31,732	62,786	60,886
Polymyositis, Total	449	910	1,312	3,190	8,425	5,787	5,485	15,140	28,985	38,476
Paralytic	396	762	988	6,289	6,289	3,697	2,499	7,911	13,850	18,308
Nonparalytic	52	139	305	626	2,045	1,941	2,826	6,555	12,453	13,221
Unspecified	1	9	19	39	91	149	160	674	2,682	6,947
Psittacosis	76	79	102	113	147	158	278	568	334	563
Rabies in Man ²	1	2	3	2	7	5	5	10	4	13
Rheumatic Fever, acute ³	7,561	7,977	10,470	9,022	8,285	6,889	6,427	6,562
Salmonellosis, excluding typhoid fever	15,390	9,680	8,542	6,929	6,606	6,363	6,693	6,704	5,447	5,375
Shigellosis (bacillary dysentery)	13,009	12,443	12,571	12,487	12,888	11,861	9,822	10,306	13,912	13,846
Streptococcal sore throat and Scarlet Fever	342,161	315,809	338,410	315,173	334,715	264,097	226,973	176,392	147,502	147,785
Tetanus	325	322	379	368	445	445	447	468	462	524
Trichinosis	208	194	306	160	227	176	178	262	264	277
Tuberculosis (newly reported active cases) ⁴	54,062	53,788	53,727	55,494	57,307	63,000	66,437	68,866	76,245	78,592
Tularemia	327	328	365	390	459	587	601	522	584	681
Typhoid Fever	566	608	814	816	859	1,043	1,231	1,700	1,704	2,169
Typhus Fever, flea-borne (endemic, murine)	35	32	46	68	51	71	113	98	135	163
Typhus Fever, tick-borne (Rocky Mountain Spotted)	216	240	219	204	199	243	240	293	295	294
Veneral Diseases (newly reported cases) ⁵	124,137	126,245	124,658	122,003	120,766	113,894	123,758	130,168	122,392	130,697
Syphilis	278,289	263,708	264,158	238,933	240,158	232,513	214,496	224,342	236,197	242,050
Gonorrhea
Other specified venereal diseases: chancroid, granuloma inguinale and lymphogranuloma venereum	1,979	2,141	2,466	2,811	2,459	2,343	2,433	2,981	3,913	4,496
Rabies in Animals	3,929	3,732	3,599	3,567	4,177	4,787	4,542	5,681	5,799	7,297

1. Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years.

2. Figures for cases of rabies in man represent registered deaths, 1954 - 1961.

3. Reports from 38 states (see p. 11).

4. Figures are from the Tuberculosis Branch, CDC.

5. Figures are from the Venereal Disease Branch, CDC, (civilian cases only).

TABLE 3. (A) DEATHS FROM SPECIFIED NOTIFIABLE DISEASES: UNITED STATES, 1953 - 1962

(Figures include Alaska from 1959; Hawaii, from 1960; both are excluded in prior years. Numbers after cause of death are category numbers of the Seventh Revision, International Classification of Diseases, 1955.)

CAUSE OF DEATH	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
Amebiasis	86	84	88	124	86	95	130	106	131	129
Anthrax	-	1	-	-	1	2	-	-	-	-
Botulism	11	10	12	15	4	11	14	18	14	17
Brucellosis	12	11	6	12	8	8	9	10	15	18
Diphtheria	41	68	69	72	74	81	103	150	145	156
Encephalitis, acute infectious	582	505	528	570	537	465	424	398	407	386
Hepatitis, infectious	911	976	938	897	897	897	806	841	821	821
Leprosy	8	8	6	6	3	3	6	5	4	7
Leptospirosis	10	9	14	11	11	9	8	10	14	17
Malaria	12	3	4	7	6	14	11	18	24	32
Measles	408	434	380	385	552	389	530	345	518	462
Meningitis, except meningococcal and tuberculous	2,322	2,263	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,039
Meningococcal infections	649	586	644	699	746	785	762	907	1,015	1,325
Pertussis (whooping cough)	83	76	118	269	177	183	266	467	373	270
Plague	-	2	-	1	-	-	1	-	-	-
Polio	60	90	230	454	255	221	566	1,043	1,368	1,450
Polio	35	61	146	299	164	151	402	747	981	1,030
Bulbar or poliomyelitis	7	10	14	24	13	13	38	53	65	60
With other paralysis	18	19	70	131	70	57	125	243	321	360
Unspecified	1	-	-	1	3	3	3	3	3	4
Psittacosis	1	3	2	7	5	5	10	4	13	12
Rabies	1	3	2	7	5	5	10	4	13	12
Rheumatic Fever, acute	550	608	734	795	806	900	1,033	1,131	1,297	1,523
Salmonellosis, including paratyphoid fever	62	64	82	72	65	60	62	62	48	72
Shigellosis (bacillary dysentery)	134	128	153	133	157	156	156	187	243	337
Streptococcal Sore Throat and Scarlet Fever	102	130	108	130	139	213	240	235	262	295
Tetanus	215	242	231	283	303	279	246	265	332	337
Trichinosis	1	7	3	3	4	4	5	4	1	7
Tuberculosis (all forms)	9,506	9,938	10,866	11,456	12,361	13,324	14,061	14,940	16,392	19,544
Tularemia	1	3	3	7	6	3	4	9	4	7
Typhoid Fever	15	17	21	22	23	34	54	34	45	52
Typhus Fever - flea-borne (murine)	-	-	-	-	-	2	-	-	-	-
Typhus Fever - tick-borne (Rocky Mountain Spotted)	12	11	11	10	14	18	16	8	10	21
Veneral Diseases and Sequelae										
Syphilis	2,811	2,850	2,945	3,069	3,469	3,825	3,870	3,834	4,835	5,273
Gonorrhea	23	19	38	25	18	21	28	23	15	29
Other	16	11	15	12	20	18	20	28	29	36

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

Morbidity and Mortality Weekly Report

TABLE 3. (B) DEATHS FROM SELECTED NON-NOTIFIABLE ACUTE DISEASES: UNITED STATES, 1953 - 1962

DISEASE	1962	1961	1960	1959	1958	1957	1956	1955	1954	1953
Abscess of Lung	521	543	604	614	652	601	595	500	505	537
8011 and carbuncle	67	93	120	156	117	99	58	43	44	43
Other local skin conditions (cellulitis and abscess)...	503	520	512	476	436	384	355	283	291	279
Chickenpox	134	167	126	141	146	113	116	88	120	132
Diarrhea of Newborn	410	419	463	492	531	516	527	547	700	697
Erysipelas	518 - 519	479	456	468	424	450	416	429	433	410
Fungal infections	052	32	22	28	26	27	33	28	39	45
Actinomycosis	132	21	28	27	21	15	24	23	17	30
Coccidioidomycosis	133	62	55	48	50	53	54	62	78	85
81aotomycosis	134.0	16	15	13	24	28	27	19	24	23
Cryptococcosis	134.1	86	71	39	39	55	66	74	56	48
Histoplasmosis	134.2	90	80	63	73	77	67	53	59	55
Moniliasis	134.3	100	108	101	93	82	105	87	75	77
Gastroenteritis and Colitis (Age 4 wks - 2 yrs)	571.0	2,596	2,957	2,862	3,066	3,412	3,166	3,663	3,900	4,588
Herpes febrilis	096.0	21	12	26	26	13	13	7	14	9
Herpes Zoster	088	63	78	58	46	47	52	45	44	61
Hydatid disease	125	3	10	8	14	5	8	8	8	8
Infections of Ear and Mastoid	390 - 394	314	389	399	434	404	387	474	459	472
Meningitis, excluding Meningococcal and Tuberculosis...	340	2,263	2,316	2,208	2,247	2,025	1,933	1,873	1,829	2,059
Mononucleosis, infectious	093	13	16	21	16	15	18	10	16	12
Mumps	089	53	42	51	37	45	49	43	45	46
Pemphigus	704	141	149	168	142	170	149	172	150	164
Pemphigus, neonatorum	766	23	30	23	26	23	22	27	33	27
Respiratory infections										
Bronchitis, acute	500	1,031	1,170	1,135	1,352	1,202	1,105	1,080	990	1,010
Influenza	480 - 483	2,137	7,872	2,845	4,442	7,463	2,323	2,755	2,680	9,460
Pneumonia (primary cause of death)	490 - 493	53,038	58,931	52,194	52,997	53,538	44,780	41,755	38,311	42,778
Pneumonia of newborn	763	3,541	3,544	3,761	3,918	3,715	3,400	3,108	3,140	3,074
Upper respiratory infections, acute	470 - 475	808	911	971	936	1,045	901	904	954	1,043
Sepsis of										
Abortion	651	220	191	179	159	169	136	159	170	177
Childbirth	680 - 681	59	76	58	50	54	48	43	56	52
Newborn	767 - 768	774	749	786	1,055	832	662	518	485	388
Septicemia and Pyemia	053	1,886	1,920	1,760	1,663	1,351	1,118	938	897	783
Viral diseases, undifferentiated	096.9	456	434	384	308	267	302	312	255	254
Worm Infestation	126 - 130	48	56	65	63	56	59	60	61	93

Source: National Vital Statistics Division, Vital Statistics of the United States, Vol. II, for respective year.

TABLE 4. REPORTED CASES OF NOTIFIABLE DISEASES BY MONTH: UNITED STATES, 1963

[illegible]

* Based on Reports from 38 States.

Morbidity and Mortality Weekly Report

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1963

AREA	AMEBIASIS	ANTHRAX	ASEPTIC MENINGITIS	BOTULISM	BRUCELLOSIS	DIPHTHERIA
UNITED STATES	2,886	3	1,844	47	407	314
NEW ENGLAND	37	1	99	-	2	8
Maine	-	-	10	-	1	-
New Hampshire	-	-	1	-	-	-
Vermont	2	-	50	-	1	-
Massachusetts	1	1	16	-	-	6
Rhode Island	1	-	21	-	-	2
Connecticut	33	-	1	-	-	-
MIDDLE ATLANTIC	1,134	1	244	5	13	26
New York	920	-	116	2	9	12
New Jersey	152	-	92	-	1	7
Pennsylvania	62	1	36	3	3	7
EAST NORTH CENTRAL ..	190	-	297	5	48	36
Ohio	6	-	46	-	-	1
Indiana	5	-	18	-	5	10
Illinois	134	-	90	-	26	18
Michigan	43	-	125	5	6	5
Wisconsin	2	-	18	-	11	2
WEST NORTH CENTRAL ..	113	-	95	1	207	51
Minnesota	2	-	79	1	11	14
Iowa	21	-	5	-	155	1
Missouri	-	-	4	-	14	1
North Dakota	-	-	1	-	1	6
South Dakota	-	-	5	-	12	14
Nebraska	-	-	1	-	6	11
Kansas	90	-	-	-	8	4
SOUTH ATLANTIC	87	1	143	1	39	76
Delaware	-	-	-	-	-	-
Maryland	-	-	8	-	-	-
District of Columbia	-	-	11	-	-	1
Virginia	23	-	29	-	12	2
West Virginia	1	-	12	1	-	1
North Carolina	17	1	NN	-	6	4
South Carolina	2	-	10	-	-	17
Georgia	2	-	-	-	17	26
Florida	42	-	73	-	4	25
EAST SOUTH CENTRAL ..	113	-	150	22	21	26
Kentucky	7	-	76	7	4	2
Tennessee	20	-	32	12	10	3
Alabama	68	-	26	3	5	16
Mississippi	18	-	16	-	2	5
WEST SOUTH CENTRAL ..	471	-	126	-	40	74
Arkansas	6	-	8	-	9	4
Louisiana	24	-	NN	-	10	37
Oklahoma	93	-	27	-	5	18
Texas	348	-	91	-	16	15
MOUNTAIN	355	-	57	2	13	7
Montana	-	-	6	-	1	-
Idaho	2	-	-	-	1	-
Wyoming	-	-	2	-	1	-
Colorado	5	-	2	2	-	5
New Mexico	68	-	1	-	1	2
Arizona	277	-	22*	-	4	-
Utah	2	-	23	-	5	-
Nevada	1	-	1	-	-	-
PACIFIC	386	-	633	11	24	10
Washington	4	-	93	-	-	2
Oregon	12	-	30	-	3	1
California	358	-	498	11	19	7
Alaska	-	-	3	-	-	-
Hawaii	12	-	9	-	2	-
Puerto Rico	3	-	-	-	1	15

* Includes Meningitis, Other

Morbidity and Mortality Weekly Report

9

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1963 — Continued

AREA	ENCEPHALITIS (Acute, In- fectious)	HEPATITIS (Infectious and Serum)	LEPROSY	LEPTOSPIROSIS	MALARIA (Acquired Outside and Within U.S.)	MEASLES
UNITED STATES	1,993	42,974	103	89	99	385,156
NEW ENGLAND	67	4,964	1	-	6	15,965
Maine	5	2,241	-	-	-	588
New Hampshire	1	647	-	-	-	196
Vermont	-	154	-	-	-	1,928
Massachusetts	20	1,185	-	-	2	4,978
Rhode Island	35	121	-	-	-	1,378
Connecticut	6	616	1	-	4	6,897
MIDDLE ATLANTIC	431	8,491	9	2	12	47,488
New York	194	5,062	9	1	6	21,874
New Jersey	110	1,184	-	-	1	11,853
Pennsylvania	127	2,245	-	1	5	13,761
EAST NORTH CENTRAL ..	373	6,996	-	11	5	150,896
Ohio	108	1,888	-	3	2	16,803
Indiana	58	650	-	5	-	4,650
Illinois	148	1,472	-	2	3	11,862
Michigan	57	2,661	-	1	-	48,752
Wisconsin	2	325	-	-	-	68,829
WEST NORTH CENTRAL ..	126	1,958	1	10	6	19,763
Minnesota	15	293	-	2	2	3,368
Iowa	14	345	-	5	2	6,918
Missouri	20	622	-	1	1	3,360
North Dakota	36	106	-	-	-	5,754
South Dakota	16	150	-	-	-	111
Nebraska	4	130	-	1	-	252
Kansas	21	312	1	1	1	NN
SOUTH ATLANTIC	266	4,243	3	6	22	36,421
Delaware	-	85	-	-	-	1,342
Maryland	50	527	-	-	3	2,274
District of Columbia	7	108	1	-	-	243
Virginia	24	812	-	2	4	8,747
West Virginia	9	700	-	-	-	14,273
North Carolina	28	1,037	-	-	11	1,607
South Carolina	3	168	-	-	3	2,830
Georgia	18	177	-	-	-	226
Florida	127	629	2	4	1	4,879
EAST SOUTH CENTRAL ..	72	3,789	-	9	5	20,369
Kentucky	17	1,158	-	-	3	10,384
Tennessee	26	1,459	-	7	-	7,880
Alabama	2	602	-	1	-	1,336
Mississippi	27	570	-	1	2	769
WEST SOUTH CENTRAL ..	107	2,882	40	13	5	22,173
Arkansas	14	306	-	1	2	1,854
Louisiana	-	596	1	5	3	182
Oklahoma	6	131	-	-	-	376
Texas	87	1,849	39	7	-	19,761
MOUNTAIN	46	2,701	1	2	12	30,211
Montana	17	328	-	-	-	2,860
Idaho	3	452	-	-	1	4,731
Wyoming	3	40	-	-	-	824
Colorado	2	573	1	1	2	7,137
New Mexico	7	344	-	1	5	815
Arizona	8	610	-	-	2	10,033
Utah	1	337	-	-	-	3,400
Nevada	5	17	-	-	2	411
PACIFIC	505	6,950	48	36	26	41,870
Washington	14	1,254	-	-	2	6,774
Oregon	16	771	-	2	1	6,231
California	471	4,688	26	4	23	23,058
Alaska	4	202	-	-	-	2,184
Hawaii	-	35	22	30	-	3,623
Puerto Rico	18	949	7	3	-	1,528

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1963 — Continued

AREA	MENINGOCOCCAL INFECTIONS	PERTUSSIS (Whooping Cough)	POLIOMYELITIS			
			Total	Paralytic	Nonparalytic	Unspecified
UNITED STATES	2,470	17,135	449	396	52	1
NEW ENGLAND	176	1,100	8	8	-	-
Maine	62	175	2	2	-	-
New Hampshire	2	71	-	-	-	-
Vermont	6	127	1	1	-	-
Massachusetts	60	348	3	3	-	-
Rhode Island	13	203	-	-	-	-
Connecticut	33	176	2	2	-	-
MIDDLE ATLANTIC	350	916	126	100	26	-
New York	165	477	12	8	4	-
New Jersey	60	-	4	3	1	-
Pennsylvania	125	439	110	89	21	-
EAST NORTH CENTRAL ..	370	3,450	52	48	4	-
Ohio	108	360	6	4	2	-
Indiana	48	481	4	4	-	-
Illinois	75	748	14	13	1	-
Michigan	104	1,410	18	18	-	-
Wisconsin	35	451	10	9	1	-
WEST NORTH CENTRAL ..	149	740	10	8	2	-
Minnesota	33	57	5	5	-	-
Iowa	8	149	-	-	-	-
Missouri	44	184	2	1	1	-
North Dakota	20	317	1	-	1	-
South Dakota	4	9	1	1	-	-
Nebraska	25	24	1	1	-	-
Kansas	15	NN	-	-	-	-
SOUTH ATLANTIC	422	2,184	114	103	11	-
Delaware	4	73	1	1	-	-
Maryland	55	103	1	1	-	-
District of Columbia	8	10	1	1	-	-
Virginia	89	212	23	19	4	-
West Virginia	23	964	8	8	-	-
North Carolina	82	145	7	3	4	-
South Carolina	24	64	9	9	-	-
Georgia	42	18	26	26	-	-
Florida	95	595	38	35	3	-
EAST SOUTH CENTRAL ..	168	1,628	81	75	6	-
Kentucky	35	519	-	-	-	-
Tennessee	79	865	13	11	2	-
Alabama	29	142	51	49	2	-
Mississippi	25	102	17	15	2	-
WEST SOUTH CENTRAL ..	233	2,779	29	28	1	-
Arkansas	14	279	4	3	1	-
Louisiana	97	48	14	14	-	-
Oklahoma	40	54	2	2	-	-
Texas	82	2,398	9	9	-	-
MOUNTAIN	101	1,659	9	7	1	1
Montana	12	306	-	-	-	-
Idaho	26	89	1	1	-	-
Wyoming	2	57	-	-	-	-
Colorado	25	642	2	1	1	-
New Mexico	6	120	1	-	-	1
Arizona	13	304	3	3	-	-
Utah	8	140	1	1	-	-
Nevada	9	1	1	1	-	-
PACIFIC	501	2,679	20	19	1	-
Washington	49	517	2	2	-	-
Oregon	36	509	3	2	1	-
California	388	1,634	15	15	-	-
Alaska	14	17	-	-	-	-
Hawaii	14	2	-	-	-	-
Puerto Rico	12	748	5	4	1	-

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1963 — Continued

AREA	PSITTACOSIS- ORNITHOSIS	RABIES IN MAN	RHEUMATIC FEVER, ACUTE	SALMONELLOSIS	SHIGELLOSIS	STREPTOCOCCAL SORE THROAT & SCARLET FEVER
UNITED STATES	76	1	7,561	15,390	13,009	342,161
NEW ENGLAND	5	-	21	1,333	771	34,115
Maine	-	-	5	68	38	3,510
New Hampshire	-	-	1	38	2	657
Vermont	-	-	-	38	3	618
Massachusetts	2	-	-	929	557	4,897
Rhode Island	-	-	15	76	29	2,647
Connecticut	3	-	-	184	142	21,786
MIDDLE ATLANTIC	5	-	-	3,527	931	18,422
New York	5	-	-	1,196	519	11,642
New Jersey	-	-	-	562	81	3,331
Pennsylvania	-	-	-	1,769	331	3,449
EAST NORTH CENTRAL ..	21	-	5,234	1,996	1,862	36,473
Ohio	2	-	1,822	403	605	5,338
Indiana	-	-	43	115	51	5,374
Illinois	11	-	1,794	642	467	5,906
Michigan	4	-	1,475	486	459	11,964
Wisconsin	4	-	100	350	280	7,891
WEST NORTH CENTRAL ..	1	-	249	844	763	11,116
Minnesota	1	-	31	259	370	824
Iowa	-	-	20	91	30	2,921
Missouri	-	-	64	102	92	546
North Dakota	-	-	133	39	39	4,335
South Dakota	-	-	-	26	88	356
Nebraska	-	-	-	27	21	13
Kansas	-	-	1	300	123	2,121
SOUTH ATLANTIC	5	-	95	2,501	1,764	30,276
Delaware	-	-	3	26	27	303
Maryland	-	-	-	226	282	1,410
District of Columbia	-	-	-	132	106	78
Virginia	-	-	-	359	204	9,653
West Virginia	1	-	32	32	6	8,540
North Carolina	1	-	-	285	214	1,586
South Carolina	-	-	51	13	29	2,126
Georgia	3	-	9	481	459	194
Florida	-	-	-	947	437	6,386
EAST SOUTH CENTRAL ..	2	1	673	762	672	55,902
Kentucky	1	-	241	453	31	5,596
Tennessee	1	-	261	148	379	46,073
Alabama	-	1	159	124	187	1,373
Mississippi	-	-	12	37	75	2,860
WEST SOUTH CENTRAL ..	17	-	90	745	2,256	37,036
Arkansas	-	-	7	127	172	430
Louisiana	-	-	18	383	143	304
Oklahoma	-	-	7	55	110	966
Texas	17	-	58	180	1,831	35,336
MOUNTAIN	4	-	938	662	1,103	65,404
Montana	1	-	136	49	97	2,484
Idaho	-	-	248	5	8	5,400
Wyoming	-	-	106	4	-	3,133
Colorado	-	-	139	357	300	25,518
New Mexico	-	-	60	74	382	15,398
Arizona	1	-	130	116	282	6,882
Utah	2	-	118	54	33	6,473
Nevada	-	-	1	3	1	116
PACIFIC	16	-	261	3,020	2,887	53,417
Washington	-	-	86	427	412	16,771
Oregon	2	-	32	181	251	977
California	14	-	118	2,089	2,108	30,686
Alaska	-	-	16	3	-	2,187
Hawaii	-	-	9	320	116	2,796
Puerto Rico	-	-	-	-	10	489

Morbidity and Mortality Weekly Report

TABLE 5. REPORTED CASES OF NOTIFIABLE DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, 1963 — Continued

AREA	TETANUS	TRICHINOSIS	TULAREMIA	TYPHOID FEVER	TYPHUS FEVER	
					Flea-borne (Murine)	Tick-borne (Rocky Mountain Spotted)
UNITED STATES	325	208	327	566	35	216
NEW ENGLAND	8	11	1	17	-	-
Maine	-	-	-	2	-	-
New Hampshire	1	2	-	1	-	-
Vermont	1	-	-	1	-	-
Massachusetts	1	3	1	6	-	-
Rhode Island	2	1	-	-	-	-
Connecticut	3	5	-	7	-	-
MIDDLE ATLANTIC	23	68	3	91	-	9
New York	12	55	1	47	-	2
New Jersey	2	-	1	5	-	1
Pennsylvania	9	13	1	39	-	6
EAST NORTH CENTRAL ..	33	63	36	71	-	24
Ohio	6	13	2	31	-	8
Indiana	9	-	5	7	-	9
Illinois	10	5	24	11	-	7
Michigan	6	3	1	14	-	-
Wisconsin	2	42	4	8	-	-
WEST NORTH CENTRAL ..	28	2	53	26	1	4
Minnesota	11	-	2	4	-	-
Iowa	5	1	-	2	-	-
Missouri	4	-	28	16	-	4
North Dakota	-	-	-	-	-	-
South Dakota	2	-	3	1	-	-
Nebraska	2	-	-	1	-	-
Kansas	4	1	20	2	1	-
SOUTH ATLANTIC	83	6	49	102	7	106
Delaware	1	1	-	4	-	-
Maryland	5	1	4	13	-	10
District of Columbia	-	-	1	1	-	2
Virginia	7	1	7	13	1	37
West Virginia	-	1	-	7	-	3
North Carolina	21	2	1	24	1	34
South Carolina	1	-	2	9	3	4
Georgia	11	-	31	14	1	15
Florida	37	NN	3	17	1	1
EAST SOUTH CENTRAL ..	56	6	24	76	6	37
Kentucky	3	-	3	14	3	7
Tennessee	17	6	17	30	-	20
Alabama	28	-	1	11	3	4
Mississippi	8	-	3	21	-	6
WEST SOUTH CENTRAL ..	56	-	125	95	21	16
Arkansas	6	-	81	34	-	2
Louisiana	15	-	12	25	-	-
Oklahoma	8	-	16	6	-	11
Texas	27	-	16	30	21	3
MOUNTAIN	5	2	31	23	-	18
Montana	-	-	6	1	-	7
Idaho	-	-	1	1	-	6
Wyoming	-	-	14	-	-	1
Colorado	2	1	6	7	-	4
New Mexico	-	-	1	6	-	-
Arizona	2	-	-	8	-	-
Utah	1	1	3	-	-	-
Nevada	-	-	-	-	-	-
PACIFIC	33	50	5	65	-	2
Washington	1	-	-	3	-	1
Oregon	3	18	1	3	-	1
California	26	25	4	54	-	-
Alaska	-	-	-	3	-	-
Hawaii	3	7	-	2	-	-
Puerto Rico	82	-	-	17	-	-

TABLE 6. NEWLY REPORTED ACTIVE TUBERCULOSIS CASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE, BY AGE, 1963

AREA	TOTAL	Under 5	5-14	15-24	25-44	45-64	65 & Over	Age Not Stated
UNITED STATES	54,062	3,053	3,368	4,676	14,892	17,269	10,105	699
NEW ENGLAND	1,835	66	64	121	499	677	391	17
Maine	156	5	6	13	37	56	27	12
New Hampshire	73	5	2	1	26	18	21	-
Vermont	54	2	1	1	8	23	18	1
Massachusetts	1,097	33	35	72	296	427	234	-
Rhode Island	154	8	9	12	42	54	29	-
Connecticut	301	13	11	22	90	99	62	4
MIDDLE ATLANTIC	11,503	555	481	1,055	3,516	3,695	1,986	215
New York	6,756	346	304	685	2,108	2,125	1,058	130
New Jersey	1,634	82	58	153	577	498	266	-
Pennsylvania	3,113	127	119	217	831	1,072	662	85
EAST NORTH CENTRAL ..	10,638	526	657	873	3,026	3,366	2,031	159
Ohio	2,439	142	191	204	689	707	481	25
Indiana	1,351	81	103	95	329	433	270	40
Illinois	3,739	106	119	319	1,209	1,276	650	60
Michigan	2,433	169	201	195	661	744	439	24
Wisconsin	676	28	43	60	138	206	191	10
WEST NORTH CENTRAL ..	2,500	145	123	172	610	823	602	25
Minnesota	456	13	27	42	81	167	126	-
Iowa	186	-	1	17	46	84	36	2
Missouri	1,245	103	57	76	314	370	315	10
North Dakota	88	5	21	6	19	26	11	-
South Dakota	96	13	10	11	24	18	20	-
Nebraska	146	2	2	9	47	64	17	5
Kansas	283	9	5	11	79	94	77	8
SOUTH ATLANTIC	9,297	625	740	750	2,567	2,930	1,592	93
Delaware	143	10	6	9	43	42	32	1
Maryland	1,361	88	69	120	412	427	216	29
District of Columbia	474	69	52	37	132	144	36	4
Virginia	1,806	133	312	112	380	505	343	21
West Virginia	563	15	14	42	140	205	147	-
North Carolina	1,386	91	80	115	387	469	244	-
South Carolina	740	53	80	84	227	178	103	15
Georgia	1,261	85	75	121	364	395	200	21
Florida	1,563	81	52	110	482	565	271	2
EAST SOUTH CENTRAL ..	4,744	223	267	423	1,176	1,552	1,075	28
Kentucky	1,190	46	52	107	303	394	281	7
Tennessee	1,541	102	112	124	351	485	367	-
Alabama	1,326	44	54	108	342	454	307	17
Mississippi	687	31	49	84	180	219	120	4
WEST SOUTH CENTRAL ..	5,182	368	484	509	1,259	1,538	904	120
Arkansas	672	57	93	63	117	170	152	20
Louisiana	1,068	60	74	87	288	354	191	14
Oklahoma	584	6	6	50	114	212	170	26
Texas	2,858*	245	311	309	740	802	391	60
MOUNTAIN	1,758	148	212	161	367	535	305	30
Montana	127	11	11	18	20	43	21	3
Idaho	71	1	2	6	15	32	14	1
Wyoming	30	5	2	3	7	7	5	1
Colorado	289	10	21	21	80	90	52	15
New Mexico	395	52	84	46	73	82	54	4
Arizona	631	51	75	53	125	215	110	2
Utah	80	7	3	8	19	21	20	2
Nevada	135	11	14	6	28	45	29	2
PACIFIC	6,605	397	340	612	1,872	2,153	1,219	12
Washington	640	16	29	55	142	248	142	8
Oregon	395	14	18	28	103	158	71	3
California	5,054	342	248	434	1,492	1,611	927	-
Alaska	279	21	42	65	75	48	27	1
Hawaii	237	4	3	30	60	88	52	-
Puerto Rico	1,852	201	240	276	459	447	208	21

* Includes 256 cases from 86 counties without health units that did not report in previous years.

TABLE 7. NEWLY REPORTED CASES OF VENEREAL DISEASES:
UNITED STATES, BY GEOGRAPHIC DIVISION, BY STATE; AGE; AND SEX, BY RACE (Civilian Cases Only), 1963

AREA	SYPHILIS		GONORRHEA	CHANCROID	OTHER*
	ALL STAGES	PRIMARY & SECONDARY			
UNITED STATES	124,137	22,251	278,289	1,220	759
NEW ENGLAND	2,972	465	6,103	15	9
Maine.....	51	12	211	-	-
New Hampshire	80	5	122	-	-
Vermont.....	22	7	141	-	-
Massachusetts	1,769	300	3,417	6	5
Rhode Island.....	376	14	231	1	-
Connecticut.....	674	127	1,981	8	4
MIDDLE ATLANTIC	38,159	6,171	38,928	96	102
New York.....	23,076	4,200	27,884	68	90
New Jersey.....	5,662	1,187	3,968	13	5
Pennsylvania.....	9,421	784	7,076	15	7
EAST NORTH CENTRAL ..	17,283	1,964	52,169	124	27
Ohio.....	3,723	433	11,327	12	8
Indiana.....	1,263	56	3,193	3	-
Illinois.....	6,034	968	25,151	10	12
Michigan.....	5,512	453	11,043	98	7
Wisconsin.....	751	54	1,455	1	-
WEST NORTH CENTRAL..	6,283	490	16,785	72	4
Minnesota.....	221	75	1,908	4	-
Iowa.....	795	29	1,254	1	-
Missouri.....	3,688	224	8,206	61	2
North Dakota.....	45	4	579	-	-
South Dakota.....	128	39	1,214	-	-
Nebraska.....	393	60	861	1	-
Kansas.....	1,013	59	2,763	5	2
SOUTH ATLANTIC	24,848	6,188	59,019	490	399
Delaware.....	763	53	943	4	4
Maryland.....	2,690	542	5,795	3	10
District of Columbia.....	1,662	676	9,066	32	130
Virginia.....	3,495	329	6,980	11	24
West Virginia.....	1,193	47	991	-	-
North Carolina.....	3,234	874	8,343	59	30
South Carolina.....	1,731	721	7,614	25	9
Georgia.....	3,135	1,063	10,418	296	124
Florida.....	6,945	1,883	8,869	60	68
EAST SOUTH CENTRAL ..	4,875	1,537	19,480	83	53
Kentucky.....	1,453	149	2,274	1	-
Tennessee.....	1,399	400	8,172	23	7
Alabama.....	1,428	695	3,977	34	27
Mississippi.....	595	293	5,057	25	19
WEST SOUTH CENTRAL ..	12,794	2,694	42,242	242	104
Arkansas.....	1,695	201	6,875	14	7
Louisiana.....	3,784	560	5,388	33	75
Oklahoma.....	1,738	198	3,506	4	-
Texas.....	5,577	1,735	26,473	191	22
MOUNTAIN	3,036	491	8,543	54	11
Montana.....	200	14	507	2	1
Idaho.....	19	8	620	2	-
Wyoming.....	95	16	110	1	-
Colorado.....	712	37	1,934	1	-
New Mexico.....	675	148	1,398	1	-
Arizona.....	721	194	2,749	47	10
Utah.....	143	17	498	-	-
Nevada.....	471	57	727	-	-
PACIFIC.....	13,887	2,251	35,020	44	50
Washington.....	349	124	2,932	8	1
Oregon.....	585	71	1,747	2	1
California.....	12,708	2,028	29,491	34	48
Alaska.....	114	8	592	-	-
Hawaii.....	131	20	258	-	-
Puerto Rico	1,401	825	2,570	12	-

AGE DISTRIBUTION		
Age Group	Syphilis, Primary & Secondary	Gonorrhea
0-14	273	4,048
15-19	3,438	54,509
20-24	6,332	98,541
25-29	4,518	54,543
30-39	5,026	47,742
40-49	1,891	14,352
50+	773	4,554
Total	22,251	278,289

DISTRIBUTION by SEX by RACE		
Syphilis, All Stages		
	White	Nonwhite
Male	31,749	36,524
Female	22,539	33,325
Total	54,288	69,849
Syphilis, Primary & Secondary		
Male	4,910	9,248
Female	1,392	6,701
Total	6,302	15,949
Gonorrhea		
Male	57,553	150,087
Female	21,055	49,594
Total	78,608	199,681

*Granuloma inguinale and Lymphogranuloma venereum.

TABLE 8. RABIES IN MAN AND ANIMALS, BY STATE, BY TYPE OF ANIMAL, UNITED STATES, 1963
FROM REPORTS TO THE NATIONAL RABIES SURVEILLANCE PROGRAM, CDC-PHS

Human Rabies in the United States, 1963

LOCALITY	AGE	SEX	BITING ANIMAL	NATURE OF EXPOSURE	INCUBATION PERIOD	DURATION OF ILLNESS	DATE OF DEATH
Alabama	52	F	Probably dog	Unknown	Unknown	7 days	9/4/63

Rabies in Animals by Type of Animal Reported Through Surveillance Program										State Report, Notifiable Diseases
AREA	DOG	CATTLE	OTHER DOMESTIC	FOX	SKUNK	BAT	RACCOON	OTHER WILD	TOTAL CONFIRMED	TOTAL CASES
UNITED STATES	568	456	284	622	1,462	303	162	54	3,911*	3,929
NEW ENGLAND										
Maine	-	-	1	1	-	-	-	-	2	2
New Hampshire	1	-	-	12	3	1	-	-	17	18
Vermont	1	-	-	11	2	-	-	-	14	14
Massachusetts	-	-	-	-	-	6	-	-	6	1
MIDDLE ATLANTIC										
New York	7	10	9	40	12	8	2	1	89	89
New Jersey	-	-	-	-	-	16	-	-	16	-
Pennsylvania	6	5	4	4	6	3	1	-	29	29
EAST NORTH CENTRAL ..										
Ohio	9	12	5	22	255	4	-	1	308	314
Indiana	14	4	4	11	19	-	2	-	54	54
Illinois	13	19	15	7	96	2	2	3	157	170
Michigan	4	9	7	-	27	3	-	-	50	50
Wisconsin	7	16	9	8	17	5	1	2	65	65
WEST NORTH CENTRAL ..										
Minnesota	15	48	27	2	171	1	5	4	273	288
Iowa	13	89	33	6	192	3	4	3	343	343
Missouri	40	25	17	32	56	3	1	4	178	178
North Dakota	6	19	9	-	38	-	-	-	72	72
South Dakota	9	32	16	-	55	-	-	-	112	101
Nebraska	3	4	1	-	22	-	2	1	33	33
Kansas	-	-	3	-	20	-	-	-	23	23
SOUTH ATLANTIC										
Delaware	-	-	-	-	-	2	-	-	2	2
Maryland	-	-	-	-	-	2	-	-	2	2
Virginia	11	31	9	177	1	4	2	3	238	238
West Virginia	42	7	24	35	4	-	-	1	113	114
North Carolina	-	-	-	6	-	9	-	-	15	15
South Carolina	5	-	-	-	-	5	-	-	10	10
Georgia	3	1	1	5	1	3	70	1	85	85
Florida	3	-	2	3	5	12	58	2	85	89
EAST SOUTH CENTRAL ..										
Kentucky	71	17	7	22	1	3	1	-	122	122
Tennessee	27	36	5	51	13	5	1	-	138	138
Alabama	5	3	3	21	1	1	-	-	34	35
WEST SOUTH CENTRAL ..										
Arkansas	8	10	4	23	11	16	1	2	75	95
Louisiana	9	3	-	41	-	1	-	-	54	54
Oklahoma	5	13	12	-	37	1	1	-	69	67
Texas	106	37	42	66	234	22	7	11	525*	524
MOUNTAIN										
Montana	-	-	-	-	-	1	-	-	1	1
Idaho	-	-	-	-	-	3	-	-	3	3
Colorado	-	-	1	-	1	12	1	-	15	15
New Mexico	7	-	1	1	13	18	-	3	43	41
Arizona	26	-	5	8	3	26	-	7	75	78
Utah	-	-	1	1	-	2	-	-	4	-
Nevada	-	-	-	-	-	11	-	-	11	11
PACIFIC										
Washington	-	-	-	-	-	20	-	-	20	20
Oregon	-	-	1	-	1	15	-	-	17	17
California	86	6	6	5	145	54	-	5	307	309
Alaska	6	-	-	1	-	-	-	-	7	-
Puerto Rico	5	3	2	-	-	-	-	11	21	21

* Includes 3 unknown by species.

Morbidity and Mortality Weekly Report

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963

(A) DIPHTHERIA

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	314	6	88128.....44.....41.....						7
NEW ENGLAND	8	-	1	2	2	1	-	-	-	2	-	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	6	-	1	2	1	-	-	-	-	2	-	-
Rhode Island	2	-	-	1	1	1	-	-	-	-	-	-
Connecticut	-	-	-	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	26	-	914....3....			-	-	-	-	-
New York	12	-	4	5	3	-	-	-	-	-	-	-
New Jersey	7	-	24....1....			-	-	-	-	-
Pennsylvania	7	-	3	1	1	2	-	-	-	-	-	-
EAST NORTH CENTRAL ..	36	-	7	11	5	2	3	4	3	1	-	-
Ohio	1	-	-	-	-	-	-	1	-	-	-	-
Indiana	10	-	1	-	2	1	3	2	-	1	-	-
Illinois	18	-	5	8	3	-	-	1	1	-	-	-
Michigan	5	-	1	2	-	1	-	-	1	-	-	-
Wisconsin	2	-	-	1	-	-	-	-	1	-	-	-
WEST NORTH CENTRAL ..	51	1	14	10	5	5	1	1	3	1	8	2
Minnesota	14	-	2	5	1	2	-	-	1	1	2	-
Iowa	1	-	-	-	-	1	-	-	-	-	-	-
Missouri	1	-	-	1	-	-	-	-	-	-	-	-
North Dakota	6	-	1	2	2	-	-	-	-	-	1	-
South Dakota	14	-	5	-	1	2	-	1	2	-	3	-
Nebraska	11	1	4	1	-	-	1	-	-	-	2	2
Kansas	4	-	2	1	1	-	-	-	-	-	-	-
SOUTH ATLANTIC	76	1	25	18	7	9	6	2	3	-	1	4
Delaware	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	-	-	-	-	-	-	-	-	-	-	-	-
District of Columbia	1	-	1	-	-	-	-	-	-	-	-	-
Virginia	2	1	-	-	-	-	1	-	-	-	-	-
West Virginia	1	-	-	-	-	-	-	-	1	-	-	-
North Carolina	4	-	4	-	-	-	-	-	-	-	-	-
South Carolina	17	-	4	2	2	3	1	1	1	-	-	3
Georgia	26	-	8	8	4	2	4	-	-	-	-	-
Florida	25	-	8	8	1	4	-	1	1	-	1	1
EAST SOUTH CENTRAL ..	26	1	7	8	5	4	1	-	-	-	-	-
Kentucky	2	-	-	-	2	-	-	-	-	-	-	-
Tennessee	3	-	-	2	-	1	-	-	-	-	-	-
Alabama	16	1	5	4	2	3	1	-	-	-	-	-
Mississippi	5	-	2	2	1	-	-	-	-	-	-	-
WEST SOUTH CENTRAL ..	74	3	24	24	13	4	-5.....				1
Arkansas	4	-	-	2	-	1	-	-	-	1	-	-
Louisiana	37	3	16	13	4	1	-	-	-	-	-	-
Oklahoma	18	-	4	5	5	-	-	-	2	-	1	1
Texas	15	-	4	4	4	2	-1.....				-
MOUNTAIN	7	-	-	1	1	-	2	-	2	1	-	-
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	5	-	-	1	1	-	1	-	2	-	-	-
New Mexico	2	-	-	-	-	-	1	-	-	1	-	-
Arizona	-	-	-	-	-	-	-	-	-	-	-	-
Utah	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	10	-	1	2	-	2	1	1	-	1	2	-
Washington	2	-	-	-	-	1	-	1	-	-	-	-
Oregon	1	-	-	-	-	-	-	-	-	1	-	-
California	7	-	1	2	-	1	1	-	-	-	2	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	15	-	8	5	1	-	1	-	-	-	-	-

Morbidity and Mortality Weekly Report

17

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963 — Continued

(B) ENCEPHALITIS, TOTAL, ACUTE INFECTIOUS, including post-infectious

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	1,993
NEW ENGLAND	67	1	11	28	8	3	1	-	7	4	3	1
Maine	5	-	-	1	1	-	-	-	1	1	1	-
New Hampshire	1	-	-	-	-	-	-	-	-	-	-	1
Vermont	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	20	-	7	9	1	1	-	-	1	-	1	-
Rhode Island	35	1	4	16	4	2	1	-	5	2	-	-
Connecticut	6	-	-	2	2	-	-	-	-	1	1	-
MIDDLE ATLANTIC	431	27	90	114	43	28	23	105				1
New York	194	19	35	38	19	14	16	53				-
New Jersey	110	3	19	30	12	9	2	3	14	9	9	-
Pennsylvania	127	5	36	46	12	5	5	3	8	4	2	1
EAST NORTH CENTRAL ..	373
Ohio	108	3	28	49	15	1	-	2	2	1	5	2
Indiana	58	2	16	18	6	5	2	1	3	-	-	5
Illinois	148	6	5	10	7	5	2	2	4	2	4	101*
Michigan	57	age distribution not available										
Wisconsin	2	-	1	1	-	-	-	-	-	-	-	57*
WEST NORTH CENTRAL ..	126	8	15	24	20	9	6	8	9	10	13	4
Minnesota	15	1	4	1	2	2	1	1	1	-	2	-
Iowa	14	1	1	3	2	1	-	2	-	2	-	2
Missouri	20	1	4	3	4	1	2	-	-	2	3	-
North Dakota	36	4	4	5	6	3	1	2	4	2	4	1
South Dakota	16	1	-	3	4	-	-	1	3	1	3	-
Nebraska	4	-	-	1	-	-	-	-	-	2	-	1
Kansas	21	-	2	8	2	2	2	2	1	1	1	-
SOUTH ATLANTIC	266	17	50	79	25	12	10	7	10	14	21	21
Delaware	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	50	5	9	13	5	-	1	1	-	2	2	12
District of Columbia	7	-	2	5	-	-	-	-	-	-	-	-
Virginia	24	3	5	4	1	2	4	1	2	1	-	1
West Virginia	9	-	4	3	-	-	-	1	-	-	-	1
North Carolina	28	2	5	8	2	2	1	1	-	1	6	-
South Carolina	3	-	-	1	1	1	-	-	-	-	-	-
Georgia	18	2	5	4	1	-	1	-	-	1	4	-
Florida	127	5	20	41	15	7	3	3	8	9	9	7
EAST SOUTH CENTRAL ..	72	2	18	16	5	4	1	5	5	4	8	4
Kentucky	17	-	5	3	2	1	-	1	-	2	-	3
Tennessee	26	-	6	5	2	3	-	2	3	2	3	-
Alabama	2	-	-	1	-	-	-	-	-	-	1	-
Mississippi	27	2	7	7	1	-	1	2	2	-	4	1
WEST SOUTH CENTRAL ..	107
Arkansas	14	1	-	2	-	2	1	-	-	-	2	6*
Louisiana	6	1	2	1	-	-	-	-	1	1	-	-
Oklahoma	87	13	12	12	12	6	8	23				1
Texas	87	13	12	12	12	6	8	23				1
MOUNTAIN	46	2	5	2	4	4	2	2	1	4	1	19
Montana	17	1	-	1	2	2	-	2	1	3	-	5
Idaho	3	-	1	-	-	-	2	-	-	-	-	-
Wyoming	3	-	1	1	-	-	-	-	-	-	-	1
Colorado	2	-	-	-	-	-	-	-	-	1	-	1
New Mexico	7	1	1	-	-	2	-	-	-	-	-	3
Arizona	8	-	1	-	2	-	-	-	-	-	1	4
Utah	1	-	1	-	-	-	-	-	-	-	-	-
Nevada	5	-	-	-	-	-	-	-	-	-	-	5
PACIFIC	505	17	85	174	64	28	25	27	28	18	23	16
Washington	14	-	2	2	5	2	-	-	-	2	1	-
Oregon	16	-	-	-	1	-	-	1	-	-	2	12*
California	471	17	83	171	58	26	25	26	28	16	20	1
Alaska	4	-	-	1	-	-	-	-	-	-	-	3
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	18	1	9	3	2	2	-	1	-	-	-	-

* Post-infectious

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963 — Continued

(C) HEPATITIS (infectious and serum)

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	42,974	3,003
NEW ENGLAND	4,964	2,758	2,060	146
Maine	2,241	-	11	559	467	256	201	169	271	89	105	13
New Hampshire	647	364	243	40
Vermont	154	-	2	26	30	21	15	14	15	4	9	18
Massachusetts	1,185	3	28	194	230	136	103	99	190	99	71	32
Rhode Island	121	-	1	9	11	12	15	9	19	16	20	9
Connecticut	616	-	19	120	94	65	58	49	94	49	34	34
MIDDLE ATLANTIC	8,491	17	207	1,619	1,395	1,098	886	3,221	48
New York	5,062	14	138	981	780	662	542	1,906	39
New Jersey	1,184	1	22	111	147	169	168	108	210	127	121	-
Pennsylvania	2,245	2	47	527	468	267	176	154	285	142	168	9
EAST NORTH CENTRAL ..	6,996	27	241	1,464	1,153	771	620	530	819	402	428	541
Ohio	1,888	5	41	364	337	242	175	158	226	103	121	116
Indiana	650	5	16	174	129	67	63	43	65	26	37	25
Illinois	1,472	4	56	261	219	169	165	120	168	113	134	63
Michigan	2,661	13	128	663	467	292	206	191	317	139	120	125
Wisconsin	325	-	-	2	1	1	11	18	43	21	16	212
WEST NORTH CENTRAL ..	1,958	1,042	726	190
Minnesota	293	-	5	35	34	38	29	30	25	13	29	55
Iowa	345	179	136	30
Missouri	622	1	18	133	118	71	57	49	73	33	33	36
North Dakota	106	1	18	39	8	12	4	7	8	4	4	1
South Dakota	150	-	20	42	18	16	11	3	8	3	11	18
Nebraska	130	-	1	13	21	8	5	11	10	7	4	50
Kansas	312	-	11	88	63	31	37	32	28	11	11	-
SOUTH ATLANTIC	4,243	11	142	840	763	559	411	299	389	232	271	326
Delaware	85	-	4	13	27	9	6	5	6	9	6	-
Maryland	527	-	14	90	94	57	39	34	43	21	22	113
District of Columbia	108	-	6	9	15	11	21	18	13	6	9	-
Virginia	812	3	24	158	101	105	80	52	73	64	46	106
West Virginia	700	3	26	201	163	84	55	39	43	22	30	34
North Carolina	1,037	1	43	235	222	161	117	83	88	36	45	6
South Carolina	168	1	4	33	30	27	13	8	13	6	6	27
Georgia	177	-	5	27	42	23	15	9	14	13	22	7
Florida	629	3	16	74	69	82	65	51	96	55	85	33
EAST SOUTH CENTRAL ..	3,789	12	156	859	785	493	371	243	302	168	200	200
Kentucky	1,158	4	48	269	233	130	89	52	92	36	36	169
Tennessee	1,459	3	62	372	349	186	146	100	104	64	73	-
Alabama	602	3	21	126	122	91	65	42	49	28	38	17
Mississippi	570	2	25	92	81	86	71	49	57	40	53	14
WEST SOUTH CENTRAL ..	2,882	9	177	616	427	359	305	896	93
Arkansas	306	-	13	58	62	60	32	22	29	15	15	-
Louisiana	596	3	25	124	105	77	71	59	64	19	40	9
Oklahoma	131	-	7	19	14	12	12	14	18	8	15	12
Texas	1,849	6	132	415	246	210	190	578	72
MOUNTAIN	2,701	4	129	380	323	188	136	126	150	85	80	1,100
Montana	328	2	43	60	48	24	20	17	23	10	14	67
Idaho	452	-	19	69	72	40	26	32	44	27	20	103
Wyoming	40	-	4	7	3	4	4	2	6	4	3	3
Colorado	573	-	13	52	39	23	24	18	19	15	7	363
New Mexico	344	-	39	102	64	31	24	14	24	13	22	11
Arizona	610	-	5	46	41	10	4	11	6	3	5	479
Utah	337	2	6	44	56	56	34	32	28	13	9	57
Nevada	17	-	-	-	-	-	-	-	-	-	-	17
PACIFIC	6,950	16	270	1,003	817	1,601	2,884	359
Washington	1,254	2	54	201	187	130	130	115	156	95	99	85
Oregon	771	1	16	122	103	81	77	85	109	64	99	14
California	4,688	10	183	654	480	482	647	558	638	403	400	233
Alaska	202	3	16	26	47	38	45	27
Hawaii	35	-	1	-	-	6	10	4	9	1	4	-
Puerto Rico	949	-	141	293	188	115	70	32	46	31	28	5

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963 — Continued

(D) MENINGOCOCCAL INFECTIONS

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	2,470	484	819 401 307 262 197					
NEW ENGLAND	176	41	65	20	10	13	3	1	4	2	8	9
Maine	62	22	21	3	5	2	-	-	4	2	3	-
New Hampshire	2	-	1	1	-	-	-	-	-	-	-	-
Vermont	6	-	2	1	1	1	1	-	-	-	-	-
Massachusetts	60	5	30	11	3	6	1	1	-	-	1	2
Rhode Island	13	3	7	-	-	1	-	-	-	-	2	-
Connecticut	33	11	4	4	1	3	1	-	-	-	2	7
MIDDLE ATLANTIC	350	78	114 62 55 41 -					
New York	165	33	61	16	8	14	10 23 - - - -
New Jersey	60	10	15 11 16 8 -					
Pennsylvania	125	35	38	19	8	13	2	1	1	3	5	-
EAST NORTH CENTRAL ..	370	60	105	37	24	17	10	6	7	9	22	73
Ohio	108	23	39	8	9	7	5	1	4	3	3	6
Indiana	48	9	22	7	1	1	3	-	1	-	2	2
Illinois	75	12	27	13	6	4	2	1	1	2	7	-
Michigan	104	16	17	9	8	5	-	4	1	4	10	30
Wisconsin	35	-	-	-	-	-	-	-	-	-	-	35
WEST NORTH CENTRAL ..	149	31	42	14	9	10	10	1	3	1	12	16
Minnesota	33	7	12	4	2	4	2	-	1	-	1	-
Iowa	8	3	-	2	1	-	-	-	-	-	-	2
Missouri	44	8	18	4	2	3	3	-	-	-	5	1
North Dakota	20	5	5	2	2	-	-	1	1	1	3	-
South Dakota	4	2	1	-	-	-	-	-	-	-	1	-
Nebraska	25	3	4	1	-	1	3	-	-	-	-	13
Kansas	15	3	2	1	2	2	2	-	1	-	2	-
SOUTH ATLANTIC	422	78	151	46	26	31	10	6	9	12	25	28
Delaware	4	1	1	-	1	-	-	-	-	-	1	-
Maryland	55	7	19	4	2	4	-	-	1	1	1	16
District of Columbia	8	2	2	-	1	-	-	1	1	1	-	-
Virginia	89	19	28	12	6	3	-	2	3	1	10	5
West Virginia	23	5	13	4	-	-	-	-	-	1	-	-
North Carolina	82	21	31	5	2	6	6	1	1	3	5	1
South Carolina	24	3	4	4	2	3	2	-	1	1	-	4
Georgia	42	6	18	3	1	8	1	1	1	-	2	1
Florida	95	14	35	14	11	7	1	1	1	4	6	1
EAST SOUTH CENTRAL ..	168	26	65	22	14	12	4	2	2	6	6	9
Kentucky	35	4	14	3	6	1	1	1	-	-	1	4
Tennessee	79	17	33	13	6	5	-	-	-	2	3	-
Alabama	29	2	10	2	1	3	2	-	2	2	2	3
Mississippi	25	3	8	4	1	3	1	1	-	2	-	2
WEST SOUTH CENTRAL ..	233	44	91	28	9	26	13 16 - - - 6
Arkansas	14	-	4	3	1	3	-	-	1	-	2	-
Louisiana	97	20	33	11	4	12	9	1	1	2	2	2
Oklahoma	40	5	24	4	1	1	-	1	-	-	2	2
Texas	82	19	30	10	3	10	4 4 - - - 2
MOUNTAIN	101	10	29	11	3	5	6	-	-	3	5	29
Montana	12	3	5	2	-	-	1	-	-	-	1	-
Idaho	26	-	11	5	2	2	3	-	-	2	-	1
Wyoming	2	-	1	-	1	-	-	-	-	-	-	-
Colorado	25	3	2	-	-	1	1	-	-	-	1	17
New Mexico	6	-	3	3	-	-	-	-	-	-	-	-
Arizona	13	1	6	1	-	-	1	-	-	1	2	1
Utah	8	3	1	-	-	2	-	-	-	-	1	1
Nevada	9	-	-	-	-	-	-	-	-	-	-	9
PACIFIC	501	116	157	40	26	48	34	6	15 32 27	
Washington	49	14	17	3	3	4	-	-	1	-	5	2
Oregon	36	7	12	6	6	3	1	-	-	-	-	1
California	388	88	120	28	15	39	31	6	12	9	17	23
Alaska	14	4	3	3	2	-	-	-	- 1 1 1
Hawaii	14	3	5	-	-	2	2	-	2	-	-	-
Puerto Rico	12	3	3	2	1	1	-	-	1	-	1	-

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963 — Continued

(E) POLIOMYELITIS - PARALYTIC

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	396	24	176	80	42	17	16	11	19	5	4	2
NEW ENGLAND	8	-	5	-	-	-	1	1	-	1	-	-
Maine	2	-	1	-	-	-	-	-	-	1	-	-
New Hampshire	-	-	-	-	-	-	-	-	-	-	-	-
Vermont	1	-	1	-	-	-	-	-	-	-	-	-
Massachusetts	3	-	1	-	-	-	1	1	-	-	-	-
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	2	-	2	-	-	-	-	-	-	-	-	-
MIDDLE ATLANTIC	100	5	38	23	9	4	5	6	6	3	1	-
New York	8	1	1	1	2	-	1	1	1	-	-	-
New Jersey	3	-	-	-	1	-	-	-	1	1	-	-
Pennsylvania	89	4	37	22	6	4	4	5	4	2	1	-
EAST NORTH CENTRAL ..	48	4	21	8	7	4	1	1	2	-	-	-
Ohio	4	1	1	1	-	1	-	-	-	-	-	-
Indiana	4	-	1	2	1	-	-	-	-	-	-	-
Illinois	13	2	6	1	1	1	1	-	1	-	-	-
Michigan	18	1	10	3	3	-	-	1	-	-	-	-
Wisconsin	9	-	3	1	2	2	-	-	1	-	-	-
WEST NORTH CENTRAL ..	8	-	2	2	-	1	1	-	1	-	1	-
Minnesota	5	-	2	-	-	1	1	-	1	-	-	-
Iowa	-	-	-	-	-	-	-	-	-	-	-	-
Missouri	1	-	-	1	-	-	-	-	-	-	-	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	1	-	-	1	-	-	-	-	-	-	-	-
Nebraska	1	-	-	-	-	-	-	-	-	-	1	-
Kansas	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH ATLANTIC	103	2	45	25	18	4	2	1	5	-	-	1
Delaware	1	-	-	-	1	-	-	-	-	-	-	-
Maryland	1	-	-	-	-	-	-	-	1	-	-	-
District of Columbia	1	-	-	1	-	-	-	-	-	-	-	-
Virginia	19	-	3	4	6	2	1	-	3	-	-	-
West Virginia	8	-	1	5	2	-	-	-	-	-	-	-
North Carolina	3	-	1	1	-	-	1	-	-	-	-	-
South Carolina	9	-	5	3	-	1	-	-	-	-	-	-
Georgia	26	1	13	5	6	-	-	-	-	-	-	1
Florida	35	1	22	6	3	1	-	1	1	-	-	-
EAST SOUTH CENTRAL ..	75	5	44	13	5	3	3	-	1	-	1	-
Kentucky	-	-	-	-	-	-	-	-	-	-	-	-
Tennessee	11	1	4	1	-	1	2	-	1	-	1	-
Alabama	49	1	31	9	5	2	1	-	-	-	-	-
Mississippi	15	3	9	3	-	-	-	-	-	-	-	-
WEST SOUTH CENTRAL ..	28	2	17	4	2	1	2	-	-	-	-	-
Arkansas	3	-	2	-	-	-	1	-	-	-	-	-
Louisiana	14	-	10	2	2	-	-	-	-	-	-	-
Oklahoma	2	-	-	1	-	1	-	-	-	-	-	-
Texas	9	2	5	1	-	-	1	-	-	-	-	-
MOUNTAIN	7	3	-	1	1	-	-	-	-	1	-	1
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	1	-	-	-	-	-	-	-	-	1	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	1	1	-	-	-	-	-	-	-	-	-	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	3	2	-	-	1	-	-	-	-	-	-	-
Utah	1	-	-	1	-	-	-	-	-	-	-	-
Nevada	1	-	-	-	-	-	-	-	-	-	-	1
PACIFIC	19	3	4	4	-	-	1	2	4	-	1	-
Washington	2	-	-	-	-	-	-	-	1	-	1	-
Oregon	2	-	-	1	-	-	1	-	-	-	-	-
California	15	3	4	3	-	-	-	2	3	-	-	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	4	-	1	3	-	-	-	-	-	-	-	-

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963 — Continued

(F) TETANUS

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	325	38	18	18	16	7	12 199				17
NEW ENGLAND	8	-	-	-	-	-	-	-	-	-	8	-
Maine	-	-	-	-	-	-	-	-	-	-	-	-
New Hampshire	1	-	-	-	-	-	-	-	-	-	1	-
Vermont	1	-	-	-	-	-	-	-	-	-	1	-
Massachusetts	1	-	-	-	-	-	-	-	-	-	1	-
Rhode Island	2	-	-	-	-	-	-	-	-	-	2	-
Connecticut	3	-	-	-	-	-	-	-	-	-	3	-
MIDDLE ATLANTIC	23	-	-	1	3	-	1 18				-
New York	12	-	-	1	-	-	- 11				-
New Jersey	2	-	-	-	-	-	1	-	-	-	1	-
Pennsylvania	9	-	-	-	3	-	-	1	2	1	2	-
EAST NORTH CENTRAL ..	33	1	1	2	3	1	1	4	2	1	14	3
Ohio	6	-	-	1	-	-	-	-	1	-	4	-
Indiana	9	1	-	1	3	-	1	1	-	1	1	-
Illinois	10	-	1	-	-	-	-	1	-	-	7	1
Michigan	6	-	-	-	-	1	-	2	1	-	2	-
Wisconsin	2	-	-	-	-	-	-	-	-	-	-	2
WEST NORTH CENTRAL ..	28	1	1	2	-	-	-	-	1	3	19	1
Minnesota	11	-	-	1	-	-	-	-	1	1	8	-
Iowa	5	-	1	-	-	-	-	-	-	1	3	-
Missouri	4	1	-	1	-	-	-	-	-	-	2	-
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	2	-	-	-	-	-	-	-	-	-	2	-
Nebraska	2	-	-	-	-	-	-	-	-	-	1	1
Kansas	4	-	-	-	-	-	-	-	-	1	3	-
SOUTH ATLANTIC	83	12	5	4	1	-	4	5	7	9	35	1
Delaware	1	-	-	-	-	-	-	-	1	-	-	-
Maryland	5	1	-	1	-	-	-	1	-	1	1	-
District of Columbia	-	-	-	-	-	-	-	-	-	-	-	-
Virginia	7	1	-	1	1	-	-	-	-	-	4	-
West Virginia	-	-	-	-	-	-	-	-	-	-	-	-
North Carolina	21	2	-	1	-	-	1	2	1	3	11	-
South Carolina	1	1	-	-	-	-	-	-	-	-	-	-
Georgia	11	3	1	-	-	-	1	-	-	2	4	-
Florida	37	4	4	1	-	-	2	2	5	3	15	1
EAST SOUTH CENTRAL ..	56	9	2	-	5	3	1	2	3	3	23	5
Kentucky	3	1	-	-	-	-	-	-	-	-	1	1
Tennessee	17	1	1	-	2	-	-	-	1	1	11	-
Alabama	28	1	1	-	3	3	1	2	2	2	9	4
Mississippi	8	6	-	-	-	-	-	-	-	-	2	-
WEST SOUTH CENTRAL ..	56	14	4	7	4	2	3 18				4
Arkansas	6	1	-	2	-	-	1	-	-	-	2	-
Louisiana	15	3	-	2	1	-	-	2	2	1	4	-
Oklahoma	8	2	-	1	-	-	-	-	-	1	1	3
Texas	27	8	4	2	3	2	2 5				1
MOUNTAIN	5	-	1	-	-	-	-	-	-	-	2	2
Montana	-	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	2	-	-	-	-	-	-	-	-	-	2	-
New Mexico	-	-	-	-	-	-	-	-	-	-	-	-
Arizona	2	-	-	-	-	-	-	-	-	-	-	2
Utah	1	-	1	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	33	1	4	2	-	1	2	1	3	3	15	1
Washington	1	-	-	-	-	-	-	-	-	-	1	-
Oregon	3	-	-	-	-	-	-	-	-	-	3	-
California	26	1	4	2	-	1	2	1	3	3	9	-
Alaska	-	-	-	-	-	-	-	-	-	-	-	-
Hawaii	3	-	-	-	-	-	-	-	-	-	2	1
Puerto Rico	82	11	10	16	9	6	4	2	6	4	11	3

TABLE 9. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY AGE, 1963 — Continued

(G) TYPHOID FEVER

AREA	Total	Under 1	1-4	5-9	10-14	15-19	20-24	25-29	30-39	40-49	50+	Age Unk
UNITED STATES	566	9	71	112	83	63	30182.....				16
NEW ENGLAND	17	-	1	5	1	2	1	-	1	1	4	1
Maine	2	-	-	1	1	-	-	-	-	-	-	-
New Hampshire	1	-	-	-	-	-	-	-	-	-	1	-
Vermont	1	-	-	-	-	-	-	-	-	1	-	-
Massachusetts	6	-	-	2	-	1	-	-	1	-	1	1
Rhode Island	-	-	-	-	-	-	-	-	-	-	-	-
Connecticut	7	-	1	2	-	1	1	-	-	-	2	-
MIDDLE ATLANTIC	91	-	6	11	21	16	927.....				1
New York	47	-	5	9	7	7	414.....				1
New Jersey	5	-	-	-	-	-	1	1	1	-	2	-
Pennsylvania	39	-	1	2	14	9	4	-	2	3	4	-
EAST NORTH CENTRAL ..	71	1	12	11	4	6	5	4	6	7	15	-
Ohio	31	1	1	5	2	3	2	1	5	3	8	-
Indiana	7	-	2	2	-	1	-	-	-	1	1	-
Illinois	11	-	4	1	-	1	-	2	-	1	2	-
Michigan	14	-	5	3	2	-	1	1	1	-	1	-
Wisconsin	8	-	-	-	-	1	2	-	-	2	3	-
WEST NORTH CENTRAL ..	26	-	1	2	2	2	-	5	1	3	7	3
Minnesota	4	-	-	-	-	-	-	-	1	2	1	-
Iowa	2	-	-	-	-	-	-	1	-	-	1	-
Missouri	16	-	1	2	2	2	-	4	-	-	3	2
North Dakota	-	-	-	-	-	-	-	-	-	-	-	-
South Dakota	1	-	-	-	-	-	-	-	-	1	-	-
Nebraska	1	-	-	-	-	-	-	-	-	-	-	1
Kansas	2	-	-	-	-	-	-	-	-	-	2	-
SOUTH ATLANTIC	102	2	15	27	17	9	2	5	4	5	10	6
Delaware	4	-	-	1	2	-	-	-	-	1	-	-
Maryland	13	-	4	2	2	-	-	-	-	-	3	2
District of Columbia	1	-	1	-	-	-	-	-	-	-	-	-
Virginia	13	-	1	3	3	1	1	2	1	-	-	1
West Virginia	7	-	1	4	-	1	-	1	-	-	-	-
North Carolina	24	1	4	9	4	1	-	2	1	1	1	-
South Carolina	9	-	-	1	-	1	-	-	1	2	3	1
Georgia	14	-	2	4	3	3	-	-	1	-	1	-
Florida	17	1	2	3	3	2	1	-	-	1	2	2
EAST SOUTH CENTRAL ..	76	4	10	18	15	2	3	-	9	7	8	-
Kentucky	14	1	-	9	2	-	1	-	1	-	-	-
Tennessee	30	1	3	5	7	1	1	-	3	6	3	-
Alabama	11	-	1	2	5	-	-	-	1	-	2	-
Mississippi	21	2	6	2	1	1	1	-	4	1	3	-
WEST SOUTH CENTRAL ..	95	2	18	20	15	12	523.....				-
Arkansas	34	-	4	6	8	4	1	2	3	3	3	-
Louisiana	25	1	5	10	1	3	1	1	-	-	3	-
Oklahoma	6	1	1	-	1	1	-	-	-	1	1	-
Texas	30	-	8	4	5	4	36.....				-
MOUNTAIN	23	-	2	3	4	3	-	1	3	-	2	5
Montana	1	-	-	-	-	1	-	-	-	-	-	-
Idaho	1	-	-	-	-	-	-	1	-	-	-	-
Wyoming	-	-	-	-	-	-	-	-	-	-	-	-
Colorado	7	-	-	1	1	2	-	-	1	-	1	1
New Mexico	6	-	1	1	3	-	-	-	-	-	1	-
Arizona	8	-	1	1	-	-	-	-	2	-	-	4
Utah	-	-	-	-	-	-	-	-	-	-	-	-
Nevada	-	-	-	-	-	-	-	-	-	-	-	-
PACIFIC	65	-	6	15	4	11	5	2	913.....		-
Washington	3	-	-	1	-	-	-	-	1	-	1	-
Oregon	3	-	-	1	-	-	1	-	-	-	1	-
California	54	-	5	11	4	10	4	2	8	6	4	-
Alaska	3	-	-	2	-	-	-	-	-1.....		-
Hawaii	2	-	1	-	-	1	-	-	-	-	-	-
Puerto Rico	17	-	1	3	3	3	-	3	2	-	2	-

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1963

(A) ENCEPHALITIS, TOTAL ACUTE, (including post-infectious)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	1,993	106	92	167	189	162	190	159	167	173	150	107	138	193
NEW ENGLAND	67	5	5	3	8	7	13	7	3	2	4	5	5	-
Maine	5	-	1	-	2	-	2	-	-	-	-	-	-	-
New Hampshire	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Vermont	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Massachusetts	20	1	1	2	2	4	2	2	1	2	-	2	1	-
Rhode Island	35	4	2	1	4	3	7	3	2	-	4	2	3	-
Connecticut	6	-	1	-	-	-	2	2	-	-	-	-	1	-
MIDDLE ATLANTIC	431	27	18	47	48	31	39	35	40	40	36	26	44	-
New York	194	6	3	21	19	9	22	17	17	24	20	12	24	-
New Jersey	110	10	5	8	11	8	8	13	9	11	7	5	15	-
Pennsylvania	127	11	10	18	18	14	9	5	14	5	9	9	5	-
EAST NORTH CENTRAL ..	373	16	9	20	22	24	18	15	22	19	21	10	19	158
Ohio	108	11	2	10	16	15	9	8	10	5	7	6	9	-
Indiana	58	-	4	5	4	3	3	7	7	11	9	2	3	-
Illinois	148	5	3	5	2	5	5	-	5	3	5	2	7	101*
Michigan	57	-	-	-	-	-	-	-	-	-	-	-	-	57*
Wisconsin	2	-	-	-	-	1	1	-	-	-	-	-	-	-
WEST NORTH CENTRAL ..	126	7	6	23	7	4	12	9	14	15	14	9	6	-
Minnesota	15	-	1	4	1	1	-	2	2	1	1	-	2	-
Iowa	14	2	-	1	-	-	3	-	-	3	2	2	1	-
Missouri	20	3	-	9	3	-	-	1	-	2	2	-	-	-
North Dakota	36	2	1	3	2	1	3	2	8	7	3	3	1	-
South Dakota	16	-	3	4	-	1	4	-	2	-	1	1	-	-
Nebraska	4	-	-	-	1	-	-	1	-	2	-	-	-	-
Kansas	21	-	1	2	-	1	2	3	2	-	5	3	2	-
SOUTH ATLANTIC	266	15	18	27	25	26	36	27	23	22	11	20	15	1
Delaware	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Maryland	50	1	-	9	4	7	10	4	3	6	-	3	3	-
District of Columbia	7	3	2	-	-	2	-	-	-	-	-	-	-	-
Virginia	24	1	1	4	2	2	3	1	4	1	-	2	3	-
West Virginia	9	1	1	1	1	1	1	-	2	-	1	-	-	-
North Carolina	28	5	3	3	1	2	2	-	2	2	2	5	-	1
South Carolina	3	1	1	-	-	-	1	-	-	-	-	-	-	-
Georgia	18	1	1	3	1	1	-	4	4	-	-	1	2	-
Florida	127	2	9	7	16	11	19	18	8	13	8	9	7	-
EAST SOUTH CENTRAL ..	72	3	2	1	7	5	5	6	6	13	9	2	13	-
Kentucky	17	1	2	1	-	-	-	1	-	6	4	-	2	-
Tennessee	26	1	-	-	3	1	3	2	5	4	4	1	2	-
Alabama	2	1	-	-	1	-	-	-	-	-	-	-	-	-
Mississippi	27	-	-	-	3	4	2	3	1	3	1	1	9	-
WEST SOUTH CENTRAL ..	107	3	3	2	5	6	12	8	25	17	5	4	11	6
Arkansas	14	1	1	1	-	1	-	-	2	1	1	-	-	6*
Louisiana	-	-	-	-	-	1	-	-	-	2	-	1	-	-
Oklahoma	6	-	-	-	-	-	-	-	-	-	-	-	-	-
Texas	87	2	2	1	5	4	12	6	23	14	4	3	11	-
MOUNTAIN	46	-	2	2	-	3	5	3	5	15	8	1	1	1
Montana	17	-	-	-	-	2	-	-	2	9	2	1	1	-
Idaho	3	-	1	-	-	-	-	-	1	-	1	-	-	-
Wyoming	3	-	-	-	-	-	1	-	1	1	-	-	-	-
Colorado	2	-	-	-	-	-	-	-	-	-	2	-	-	-
New Mexico	7	-	-	-	-	-	2	2	1	1	-	-	-	1
Arizona	8	-	-	-	-	1	2	1	-	1	3	-	-	-
Utah	1	-	1	-	-	-	-	-	-	-	-	-	-	-
Nevada	5	-	-	2	-	-	-	-	-	3	-	-	-	-
PACIFIC	505	30	29	42	67	56	50	49	29	30	42	30	24	27
Washington	14	5	-	1	-	-	-	1	1	3	-	-	3	-
Oregon	16	-	1	1	-	1	-	-	1	-	1	-	-	11*
California	471	25	28	40	67	55	50	46	26	27	41	30	20	16
Alaska	4	-	-	-	-	-	-	2	1	-	-	-	1	-
Hawaii	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Puerto Rico	18	-	-	1	1	-	-	-	-	-	-	2	-	14

* Post-infectious

TABLE 10. REPORTED CASES OF SELECTED NOTIFIABLE DISEASES BY STATE, BY MONTH, 1963 - Continued

(B) HEPATITIS (infectious and serum)

AREA	Total	Jan	Feb	March	April	May	June	July	Aug	Sept	Oct	Nov	Dec	Mo.Unk
UNITED STATES	42,974	4,825	4,767	4,046	3,425	3,478	2,820	2,792	3,198	3,059	3,697	3,274	3,584	9
NEW ENGLAND	4,964	587	640	494	305	279	267	267	313	393	495	483	441	-
Maine	2,241	242	295	267	138	113	146	97	132	162	193	265	191	-
New Hampshire	647	59	37	26	29	24	25	45	55	101	104	68	74	-
Vermont	154	10	5	8	5	2	2	8	11	17	30	27	29	-
Massachusetts	1,185	184	191	119	83	95	62	77	71	66	95	70	72	-
Rhode Island	121	26	5	10	7	7	4	10	5	6	14	9	18	-
Connecticut	616	66	107	64	43	38	28	30	39	41	59	44	57	-
MIDDLE ATLANTIC	8,491	949	889	768	638	620	482	583	717	708	679	685	766	7
New York	5,062	530	534	455	386	404	298	339	472	370	400	389	485	-
New Jersey	1,184	126	143	102	88	81	83	69	77	96	104	106	109	-
Pennsylvania	2,245	293	212	211	164	135	101	175	168	242	175	190	172	7
EAST NORTH CENTRAL ..	6,996	789	806	609	540	571	498	496	517	434	606	450	679	1
Ohio	1,888	267	213	165	171	116	105	119	149	135	145	123	179	1
Indiana	650	35	66	91	52	61	58	24	46	38	43	69	67	-
Illinois	1,472	116	205	145	131	122	112	96	123	82	107	80	153	-
Michigan	2,661	332	264	175	162	257	210	235	175	159	279	159	254	-
Wisconsin	325	39	58	33	24	15	13	22	24	20	32	19	26	-
WEST NORTH CENTRAL ..	1,958	203	223	175	165	198	131	107	146	110	160	166	174	-
Minnesota	293	48	34	24	26	32	17	8	15	18	32	21	18	-
Iowa	345	28	39	29	30	37	41	17	23	13	41	19	28	-
Missouri	622	71	106	77	54	71	41	32	50	18	31	50	21	-
North Dakota	106	5	3	5	6	3	1	8	14	19	16	15	11	-
South Dakota	150	6	5	4	15	17	6	16	20	15	4	16	26	-
Nebraska	130	16	15	14	11	16	8	9	5	1	11	13	11	-
Kansas	312	29	21	22	23	22	17	17	19	26	25	32	59	-
SOUTH ATLANTIC	4,243	528	455	437	363	336	279	251	293	297	375	284	344	1
Delaware	85	4	7	12	3	2	6	4	6	15	11	6	9	-
Maryland	527	22	53	57	50	41	39	40	46	40	52	33	54	-
District of Columbia	108	22	16	15	5	4	5	8	4	14	7	4	4	-
Virginia	812	162	96	68	75	69	56	38	53	52	54	47	42	-
West Virginia	700	90	68	61	52	89	33	35	39	40	54	51	88	-
North Carolina	1,037	152	113	100	98	53	61	81	63	65	118	69	63	1
South Carolina	168	18	28	18	11	6	14	12	18	9	15	10	9	-
Georgia	177	22	17	22	21	12	16	11	9	9	20	6	12	-
Florida	629	36	57	84	48	60	49	22	55	53	44	58	63	-
EAST SOUTH CENTRAL ..	3,789	496	451	440	358	393	238	203	255	244	265	242	204	-
Kentucky	1,158	174	152	103	101	107	64	53	60	66	89	89	100	-
Tennessee	1,459	186	178	155	172	166	93	58	99	92	108	81	71	-
Alabama	602	55	62	102	37	46	50	53	46	39	43	46	23	-
Mississippi	570	81	59	80	48	74	31	39	50	47	25	26	10	-
WEST SOUTH CENTRAL ..	2,882	274	341	288	265	191	221	238	280	224	189	194	177	-
Arkansas	306	42	53	14	28	17	12	32	37	19	26	8	18	-
Louisiana	596	41	53	57	64	39	45	50	65	58	45	33	46	-
Oklahoma	131	16	27	16	10	9	12	7	8	9	8	7	2	-
Texas	1,849	175	208	201	163	126	152	149	170	138	110	146	111	-
MOUNTAIN	2,701	397	380	228	176	217	160	140	208	181	210	213	191	-
Montana	328	62	56	34	19	22	18	11	9	33	22	31	11	-
Idaho	452	46	71	33	26	42	29	26	42	31	45	39	22	-
Wyoming	40	3	1	4	8	1	-	3	1	-	3	10	6	-
Colorado	573	102	71	47	29	50	34	30	35	37	42	22	74	-
New Mexico	344	44	57	23	25	20	15	21	16	24	33	33	33	-
Arizona	610	88	83	54	36	62	50	34	39	38	43	50	33	-
Utah	337	49	37	31	32	20	14	14	63	17	22	27	11	-
Nevada	17	3	4	2	1	-	-	1	3	1	-	1	1	-
PACIFIC	6,950	602	582	607	615	673	544	507	469	468	718	557	608	-
Washington	1,254	83	127	95	115	131	106	93	82	95	115	91	121	-
Oregon	771	94	77	87	73	66	66	34	51	54	68	52	49	-
California	4,688	412	357	408	413	460	365	358	321	296	493	387	418	-
Alaska	202	10	19	15	13	11	2	18	11	21	38	26	18	-
Hawaii	35	3	2	2	1	5	5	4	4	2	4	1	2	-
Puerto Rico	949	11	33	115	97	53	77	73	94	98	98	62	138	-

Morbidity and Mortality Weekly Report

25

TABLE 11. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1963

AREA	ANIMAL BITES	ANKLYO- STOMIASIS (Hookworm)	CHICKENPOX	CONJUNCTI- VITIS (Pink Eye)	DERMATOPHY- TOSIS (Ringworm)	OIARRHEA OF NEWBORN	ERYSI- PELAS
NO. CASES REPORTED . . .	101,298	6,552	191,984	5,558	5,617	371	118
No. States Reporting	(14)	(11)	(36)	(15)	(23)	(12)	(19)
NEW ENGLAND							
Maine	-	-	-	-	-	-	-
New Hampshire	109	-	818	-	2	-	1
Vermont	-	-	2,406	-	-	-	-
Massachusetts	18,034	-	15,063	-	-	-	-
Rhode Island	526	-	3,022	-	1	4	-
Connecticut	-	249	8,848	90	99	-	17
MIDDLE ATLANTIC							
New York	-	-	18,181	48	-	82	-
New Jersey	-	-	-	-	-	33	-
Pennsylvania	15,590	122	-	-	-	-	5
EAST NORTH CENTRAL							
Ohio	-	-	12,534	-	19	40	4
Indiana	8,184	-	5,711	740	89	-	8
Illinois	26,663	-	14,259	2	99	90	-
Michigan	26,010	2	20,465	375	1,692	-	16
Wisconsin	-	-	34,423	-	168	-	1
WEST NORTH CENTRAL							
Minnesota	3,726	9	117	-	36	6	29
Iowa	-	-	4,924	106	136	-	-
Missouri	8	-	1,675	4	187	-	1
North Dakota	44	-	2,563	878	79	-	13
South Dakota	-	-	60	-	-	-	-
Nebraska	-	-	79	-	-	-	-
Kansas	-	1	-	-	73	-	1
SOUTH ATLANTIC							
Delaware	-	-	494	-	-	-	2
Maryland	-	-	1,705	-	-	-	-
District of Columbia	-	1	480	-	-	28	1
Virginia	-	-	-	-	-	-	-
West Virginia	1,233	-	5,783	259	-	19	-
North Carolina	-	-	-	-	-	-	-
South Carolina	-	-	-	-	-	-	-
Georgia	-	4,176	-	-	-	-	-
Florida	-	1,971	5,059	-	-	25	-
EAST SOUTH CENTRAL							
Kentucky	-	9	5,180	776	34	-	1
Tennessee	-	-	-	-	-	-	-
Alabama	-	-	1,343	-	-	-	-
Mississippi	-	-	-	-	-	-	-
WEST SOUTH CENTRAL							
Arkansas	959	2	484	-	-	-	-
Louisiana	-	-	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-
MOUNTAIN							
Montana	73	-	2,914	-	13	-	2
Idaho	-	-	925	-	-	-	3
Wyoming	-	-	323	28	-	-	2
Colorado	-	-	-	-	59	-	-
New Mexico	-	-	494	-	1	-	-
Arizona	-	-	4,898	-	606	-	-
Utah	-	-	574	-	97	-	-
Nevada	-	-	327	-	18	-	-
PACIFIC							
Washington	139	-	12,607	1,280	1,902	1	-
Oregon	-	-	37	16	116	2	9
California	-	-	-	-	-	41	-
Alaska	-	-	760	916	91	-	-
Hawaii	-	10	2,449	40	-	-	2
Puerto Rico	-	-	1,193	-	-	-	-

Morbidity and Mortality Weekly Report

TABLE 11. ACUTE DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, BY STATE, 1963 — Continued

AREA	CASTRO- ENTERIC INFECTIONS	HISTO- PLASMOSIS	MENINGITIS (Other & Unspecified)	MONO- NUCLEOSIS, INFECTIOUS	MUMPS	RESPIRATORY INFECTIONS	RUBELLA (German Measles)
NO. CASES REPORTED . . .	54, 563	169	2, 126	5, 327	177, 463	510, 405	59, 478
No. States Reporting	(18)	(20)	(29)	(33)	(36)	(17)	(31)
NEW ENGLAND							
Maine	-	-	-	-	-	-	-
New Hampshire	20	-	3	15	520	614	453
Vermont	-	-	-	205	1,475	-	-
Massachusetts	-	-	82	-	12,196	-	11,739
Rhode Island	-	-	28	115	2,744	-	1,324
Connecticut	-	-	12	807	10,524	1,856	3,945
MIDDLE ATLANTIC							
New York	-	-	442	-	6,978	-	8,158
New Jersey	-	-	-	-	-	4,480	-
Pennsylvania	-	2	121	336	-	-	-
EAST NORTH CENTRAL							
Ohio	994	13	-	59	10,459	-	2,953
Indiana	-	15	84	304	3,394	-	1,972
Illinois	37	16	339	-	8,568	-	2,108
Michigan	-	-	160	598	10,688	2,190	1,637
Wisconsin	-	1	-	1	38,413	-	4,731
WEST NORTH CENTRAL							
Minnesota	178	8	81	1,292	64	795	-
Iowa	-	30	40	111	3,959	-	1,727
Missouri	-	16	18	22	1,218	1,465	155
North Dakota	-	-	-	-	2,211	-	-
South Dakota	-	-	-	1	24	-	-
Nebraska	2	1	1	8	79	-	-
Kansas	-	10	19	3	-	-	-
SOUTH ATLANTIC							
Delaware	-	-	-	2	214	-	135
Maryland	-	2	99	51	2,094	-	299
District of Columbia	-	-	54	9	408	1,193	149
Virginia	-	5	-	-	-	-	-
West Virginia	9,051	-	-	198	4,240	156,313	1,438
North Carolina	105	-	-	-	-	-	-
South Carolina	-	-	9	5	-	-	-
Georgia	-	-	-	92	-	2,313	85
Florida	-	2	-	-	3,603	-	1,008
EAST SOUTH CENTRAL							
Kentucky	2,322	1	76	98	3,126	-	2,158
Tennessee	-	-	-	-	-	175,184	-
Alabama	-	10	74	50	906	-	88
Mississippi	-	-	79	-	-	-	-
WEST SOUTH CENTRAL							
Arkansas	136	23	20	27	830	-	370
Louisiana	-	2	-	-	-	-	-
Oklahoma	-	-	-	-	-	-	-
Texas	-	-	-	-	-	-	-
MOUNTAIN							
Montana	242	-	11	12	-	-	898
Idaho	445	-	19	69	747	-	82
Wyoming	-	-	6	35	147	-	-
Colorado	-	-	-	-	5,683	-	1,219
New Mexico	16,926	1	6	17	930	33,342	109
Arizona	11,056	10	-	708	4,496	69,957	1,608
Utah	103	-	23	17	592	4,458	85
Nevada	4	-	-	-	278	1,386	-
PACIFIC							
Washington	10,355	-	121	30	14,009	-	5,526
Oregon	168	1	94	-	-	34,179	2,114
California	-	-	-	-	18,110	-	-
Alaska	2,419	-	5	27	938	19,256	1,127
Hawaii	-	-	-	3	2,598	1,424	78
Puerto Rico	598	-	88	-	1,227	-	70

TABLE 12. OTHER DISEASES OPTIONALLY REPORTED TO THE PUBLIC HEALTH SERVICE, 1963

(Diseases Reported by Ten States or Less)

Actinomycosis	Ark. 1, Conn. 1, Fla. 1, Iowa 1, La. 1, Mass. 2, R.I. 1
Adenovirus	Minn. 11
Ascariasis	Ark. 43, Kans. 3, Minn. 12, Ohio 1
Aspergillosis	Minn. 1
Blastomycosis	Ark. 6, Ill. 5, Kans. 2, Minn. 1, Mo. 1
Cat Scratch Fever	Colo. 1
Coccidioidomycosis	Ariz. 902, Ark. 2, Calif. 368, Md. 1, Minn. 2, Ore. 2, Va. 1, Wash. 3
Colorado Tick Fever	Colo. 132, Ida. 7, Kans. 1, Mont. 6, Ore. 23, Utah 12, Wash. 1, Wyo. 4
Coxsackie Infections (excluding meningitis)	Minn. 14, Utah 2
Cryptococcosis	Fla. 1, Wash. 1
Dengue	Fla. 1, Ill. 1, Mich. 2, Minn. 6, P.R. 25, 737
Diarrhea, Infant	Mich. 304, Minn. 207
ECHO Infection (excluding meningitis)	Minn. 5, Utah 1
Fifth Disease	Ore. 73
Food Poisoning, unspecified	Ark. 2, Calif. 378, Ill. 830, Minn. 300, N.J. 20, N.M. 4, N.Y. 474, Ore. 46
Fungal Infection, unspecified	Ill. 9
Herpes Zoster	Mo. 1
Hydatid Disease	Ore. 1
Impetigo	Alaska 509, D.C. 7, Ill. 1, Mich. 1580, Mo. 31, N.H. 1, N.Y. 2, Ore. 45
Keratoconjunctivitis	Ind. 27, Mich. 2, N.Y. 3, Ore. 3
Listeriosis	Penn. 1
Ophthalmia neonatorum	Minn. 2, N.J. 8
Otitis media	Alaska 7599, Nev. 12
Pediculosis	Mich. 31, Ore. 3
Pemphigus neonatorum	Ore. 1
Q Fever	Calif. 36, Ida. 9, Kans. 5, Mont. 1, N.M. 4, Penn. 2, R.I. 1, Utah 1, Wisc. 8
Relapsing Fever, tick-borne	Nev. 1
Rickettsialpox	N.Y. 3
Scabies	Mich. 85, N.H. 1, Ore. 83
Schistosomiasis	N.Y. 325
Septicemia	Utah 1
Sporotrichosis	Minn. 1
Staphylococcal Infections	Alaska 291, D.C. 8, Ill. 796, Ore. 138
Toxoplasmosis	Minn. 1
Trachoma	Ariz. 581, Mich. 1, Minn. 4, Nev. 110, Ore. 31, Utah 10
Trenchmouth	N.H. 2
Urethritis, nonspecific	N.Y. 1852
Vaccinia	Colo. 1
Vincent's Infection	Alaska 5, Ark. 2, Ida. 5, Ky. 16, Mo. 2, Ohio 4, R.I. 5, Wash. 4




Table 13. REPORTED INCIDENCE OF COMMUNICABLE DISEASES, VIRGIN ISLANDS, 1963

NATIONALLY NOTIFIABLE DISEASES

Hepatitis, infectious and serum	3
Leprosy	1
Measles	23
Pertussis	10
Rheumatic fever, acute	6
Salmonellosis	4
Tetanus	1
Tuberculosis, new active cases	7
Venereal Infections, Syphilis and Gonorrhea	527

OPTIONALLY REPORTED

Ascariasis	220
Chickenpox	15
Conjunctivitis	3
Meningitis, other and unspecified	2
Mumps	12
Ringworm	15
Rubella	23
Enteropathogenic E. coli	203



U. S. DEPARTMENT OF
HEALTH, EDUCATION, AND WELFARE
PUBLIC HEALTH SERVICE
Communicable Disease Center
Atlanta, Georgia 30333
Official Business

The Annual Supplement to the Morbidity and Mortality Weekly Report is published by the Communicable Disease Center, Public Health Service, DHEW, Atlanta, Georgia 30333.

James L. Goddard, M.D.	Chief, Communicable Disease Center
Alexander D. Langmuir, M.D.	Chief, Epidemiology Branch
Robert E. Serfling, Ph.D.	Chief, Statistics Section
Donald A. Henderson, M.D.	Chief, Surveillance Section

The data consolidated in this Supplement are final figures on incidence of notifiable diseases submitted by each State and Territorial Health Officer.

The Supplement was prepared in the Statistics Section under the direction of Ida L. Sherman, M.S., Assistant Chief, with the assistance of:

Ernestine S. Tomlinson, Maxine M. Spoon, and Dianne M. Vest



POSTAGE AND FEES PAID
U. S. DEPARTMENT OF H. E. W.